

Revision date : 2013/12/26 Page: 1/10
Version: 3.0 (30472285/SDS_CPA_US/EN)

1. Product and Company Identification

Company
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: 000000413973

Synonyms: d-trans Allethrin + phenothrin

2. Hazards Identification

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED. HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid inhalation of mists/vapours.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: pale yellow, clear Odour: solvent-like

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact.

Revision date: 2013/12/26 Page: 2/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

Irritation / corrosion:

Contact may result in eye irritation. May cause moderate irritation to the skin.

Sensitization

Skin sensitizing effects were not observed in animal studies.

Chronic toxicity:

Repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organization was observed after repeated administration to animals.

Reproductive toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Genotoxicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Signs and symptoms of overexposure:

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Vomiting may cause aspiration pneumonia due to the ingredients.

Potential environmental effects

Aquatic toxicity:

Acutely toxic for fish.

The product has not been tested. The statement has been derived from the properties of the individual components. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Degradation / environmental fate:

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation / bioconcentration:

The product has not been tested. The statement has been derived from the properties of the individual components.

3. Composition / Information on Ingredients

CAS Number	Content (W/W)	<u>Chemical name</u>
28057-48-9	0.129 %	d-trans Allethrin
26002-80-2	0.12 %	Phenothrin
64742-47-8	> 10.0 %	Distillates (petroleum), hydrotreated light
		Carbon dioxide, liquid
	>= 85.0 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice.

Revision date: 2013/12/26 Page: 3/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

Have the product container or label with you when calling a poison control center or doctor or going for treatment

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Treatment: Aspiration of this product during induced emesis can result in lung injury. If

evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

5. Fire-Fighting Measures

Flash point: 73 - 95 °C Information applies to the solvent.

Autoignition: approx. 225 °C Information applies to the solvent.

Lower explosion limit: 0.8 %(V) Information applies to the solvent.

Upper explosion limit: 6 %(V) Information applies to the solvent.

NFPA 30B flammability:

Level 3 Aerosol

Flammability: not readily ignited (calculated)

Suitable extinguishing media:

foam, dry powder, carbon dioxide

Hazards during fire-fighting:

carbon monoxide, carbon dioxide,

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

carbon monoxide, carbon dioxide,

The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date: 2013/12/26 Page: 4/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. In case of fire and/or explosion do not breathe fumes. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Keep containers cool by spraying with water if exposed to fire.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is not regulated by CERCLA ('Superfund').

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

General advice:

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Temperature tolerance

Revision date: 2013/12/26 Page: 5/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Carbon dioxide, liquid OSHA PEL PEL 5,000 ppm 9,000 mg/m3;

Distillates (petroleum),

hydrotreated light ACGIH TLV TWA value 200 mg/m3 Non-aerosol (total hydrocarbon

vapor);

Application restricted to conditions in which there are

negligible aerosol exposures.

Skin Designation Non-aerosol (total hydrocarbon vapor);

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form: liquid
Odour: solvent-like
Colour: pale yellow, clear

pH value: of low solubility, not applicable

Revision date: 2013/12/26 Page: 6/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

pour point: -50 °C

Vapour pressure: approx. 6895 hPa (approx. 19 °C)
Density: approx. 0.80 g/cm3 (20 °C)

Vapour density: not determined Partitioning coefficient not applicable octanol/water (log Pow):

Viscosity, dynamic: not determined Solubility in water: sparingly soluble

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

No substances known that should be avoided.

Hazardous reactions:

The product is chemically stable.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

not determined

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50 Species: rat

Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50 Species: rat Value: > 5.2 mg/l Exposure time: 4 h

The product has not been tested. The statement has been derived from the properties of the individual components.

Dermal:

Type of value: LD50

Revision date : 2013/12/26 Page: 7/10
Version: 3.0 (30472285/SDS_CPA_US/EN)

Species: rabbit Value: > 2,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit

Result: Slightly irritating.

Eye:

Result: Slightly irritating.

Sensitization:

Species: guinea pig Result: Non-sensitizing.

Carcinogenicity

Information on: bioallethrin

Indication of possible carcinogenic effect in animal tests. A clear indication of an increased risk of cancer in

humans has so far not been shown.

Information on: d-phenothrin

Not likely to be carcinogenic to humans (US EPA 2005 Guidelines).

Other Information:

Misuse can be harmful to health.

12. Ecological Information

Fish

Information on: bioallethrin

Acute: Flow through.

Salvelinus namaycush/LC50: = 9,9 μg/l

The ecological data given are those of the active ingredient.

Information on: d-phenothrin

Acute:

Oncorhynchus mykiss/LC50 (96 h): 0.0027 mg/l

Information on: Distillates (petroleum), hydrotreated light

Acute:

OECD Guideline 203 semistatic

Oncorhynchus mykiss/LL50 (96 h): 2 - 5 mg/l

The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

Information on: bioallethrin

Acute: Flow through

Daphnia magna/LC50 (96 h): 0.0356 mg/l

Information on: d-phenothrin

Acute:

Revision date: 2013/12/26 Page: 8/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

Daphnia magna (96 h): > 300 mg/l

Information on: Distillates (petroleum), hydrotreated light

Acute:

OECD Guideline 202, part 1 static Daphnia magna/EL50 (48 h): 1.4 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

.....

Aquatic plants

Information on: Distillates (petroleum), hydrotreated light

Toxicity to aquatic plants: OECD Guideline 201 static green algae/EL50 (72 h): 1 - 3 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

OECD Guideline 201 static

green algae/No observed effect concentration (72 h): 1 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Not readily biodegradable (by OECD criteria).

Inherently biodegradable.

Bioaccumulation

Information on: Distillates (petroleum), hydrotreated light

No data available.

Other adverse effects:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for quidance.

Must be sent to a suitable incineration plant, observing local regulations.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Revision date : 2013/12/26 Page: 9/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Marine pollutant: YES

Proper shipping name: AEROSOLS (contains KEROSENE (PETROLEUM), D-TRANS

ALLETHRIN)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE (contains KEROSENE (PETROLEUM), D-

TRANS ALLETHRIN)

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt
Chemical TSCA, US blocked / not listed

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established; Combustible

Liquid

EPCRA 311/312 (Hazard categories): Acute; Fire; Sudden release of pressure

State regulations

State RTK
NJCAS Number
26002-80-2Chemical name
Phenothrin

MA, NJ, PA 64742-47-8 Distillates (petroleum), hydrotreated light

Revision date: 2013/12/26 Page: 10/10 Version: 3.0 (30472285/SDS_CPA_US/EN)

MA, NJ, PA

Carbon dioxide, liquid

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

NFPA Hazard codes:

Reactivity: 1 Health: 1 Fire: 2 Special:

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

SDS Prepared by:

BASF NA Product Regulations msds@basf.com SDS Prepared on: 2013/12/26

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET