

EPA Est. No. 10807-GA-1

## **ACTIVE INGREDIENTS:**

EPA Reg. No. 10807-161-64405

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	0.20%
INERT INGREDIENTS	
TOTAL	

\*Equivalent to min. 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

A Broad Spectrum Insecticide Highly Effective Against Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, and Other Pests Listed on the Label

- For Residential/Commercial Use
- May be used in Non-Food/Feed Areas of Food/Feed Processing Plants
- Controls Residential Insects
- Kills On Contact Seeks Out Bugs Where They Hide
- Non-Staining No Unpleasant Odor
- Water-Based Formula Protects For Up to 3 Months

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

## PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND **DOMESTIC ANIMALS:**

CAUTION: Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquarium before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. FIRST AID: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison

control center or doctor, or going for treatment. ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate

water when disposing of equipment washwaters.
PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE & DISPOSAL: STORAGE: Store in a cool, dry area. Do not transport or store below 32°F. CONTAINER DISPOSAL: Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. Not for use in federally inspected meat and poultry plants.

SHAKE WELL BEFORE USING! Remove protection cap, hold container upright and spray from a distance of 12 to 15 inches. INDOORS: Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary. Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. Space Spray: Spray 20 seconds per 1000 cu. ft. of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application weekly or as necessary. infested stored food products should be disposed of, or treated using an approved product intended for this purpose. Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary. Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use. To control Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Fleas in buildings - Space Spray: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft., making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed. Fleas & Ticks (Adult and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices, around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use. To kill Lice and Louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

OUTDOORS: Not for use on plants being grown for sale or other commercial/seed production, or research purposes. Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. FLYING INSECTS: Wasps: Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary, Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted

insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible. CRAWLING INSECTS: Ants, Cockroaches, Including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish: Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.





Exclusively distributed by Nisus Corporation 100 Nisus Drive . Rockford, TN 37853 USA . 800,264,0870

Fireback and Nisus are registered trademarks of Nisus Corporation. ©2012 Nisus Corporation #FB-BBIP-SL-0911-SAL073103