

or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduit or hollow equipment legs where listed insects hide. Do not deposit this product onto exposed surfaces and do not introduce the material into the air. Do not contaminate food or food processing services.

NON-FOOD/NON-FEED AREAS:

Non-food/feed areas of food/feed areas such as garbage rooms, lavatories, floor drains (to sewer, entries and vestibules), office, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning bottling).

Cockroaches (Smokey Brown Cockroach, Brown Banded Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach), Waterbugs, Palmetto Bugs, Crickets, Firebrat, Silverfish, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pillbugs, Earwigs, Clover Mites, Lice and Millipedes:

Distribute SureKill Dia-Py Insecticide Dust at a rate of 1.5 ounces per 100 square feet of surface area. Apply a continuous visible film to hiding place such as crack and crevices, behind and beneath sinks, stoves, refrigerators, around garbage cans, cabinets, along baseboards, door sills, frames and floors, around drains, pipes, plumbing, behind bookcases, storage and other utility installations. Repeat as necessary.

FOR USE ON STORED PRODUCTS:

EXPOSED STAGES of Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borer, Merchant Grain Beetle, Grain Mites, Cheese Mites, Granary Insects and Mealworms. Find and destroy infested packaged goods. Remove all other items from pantry, shelves, and drawers. Thoroughly treat floors, walls and other surfaces in bins, storage and handling areas, shelves, drawers, cabinets, processing and handling equipment, around cartons and containers and other areas where these insects tend to congregate. Do not exceed two (2) ounces of product per 100 square feet of surface area. Repeat as necessary.

FOR USE IN STORAGE SITES:

This product can be used in warehouse bins and trucks, cargo ships, mills, bin hoppers, elevators and conveying equipment and other listed sites as a clean-up prior to using them for storage. In mills and elevators, remove all grain infested accumulations from bin hoppers. Thoroughly clean all storage and conveying equipment by sweeping out the waster grain, cobwebs and other debris from the walls and rafters as well as on the floor and door frames with special attention to material lodged in the cracks and crevices. Remove as dispose of all of the debris in outside trash. Repeat as necessary.

ON FARMS:

Pay particular attention to cleaning up around the used feed and grain bags, grain residues from wagons, harvesting equipment and feed troughs. Do not place newly harvested grain in the same bin with carry over grain and fumigate or carry over grain stocks that are not treated with grain protectant. Perform these cleaning operations within two or three weeks before harvest.

After above sanitation measures have been employed, dust all areas prior to use for storage. Apply dust to floors, ceilings and partition boards of bins, paying close attention to cracks and crevices. Do not exceed two (2) ounces of product per 100 square feet of surface area. Repeat as necessary.

FOR USE IN UNOCCUPIED ANIMALS QUARTERS:

Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses, and other listed animal areas. Use in cracks, crevices, walls joints between stalls, floors and other areas where pests may hide. Do not contaminate feed, feedstuffs, and milking equipment. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place away from children, preferable a secure storage area.

PESTICIDE DISPOSAL & CONTAINER HANDLING:

Do not puncture or incinerate!

If Empty: Place in trash or offer for recycling, if available.

If Partly Filled: Call your local solid waste agency for disposal instructions.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

For non-emergency (e.g., current product information),
Call: 1-800-621-8829

Manufactured by:
Chem-Tech, Ltd.TM
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

SureKill® is a Registered Trademark of Neogen Corporation.
Chem-Tech, Ltd.TM is a wholly-owned subsidiary of Neogen Corporation L4970-1218



FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.• Do not give any liquid to the patient.• Do not administer anything by mouth.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
If on Skin or on Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

For 24-hour emergency information on this product, call
1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear long sleeved shirt and long pants, socks and shoes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticides off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders applicators and other handlers must wear the following: Long-sleeved shirt, long pants, shoes and socks.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, restrictions and precautions.

USE RESTRICTIONS:

For Occupational (Commercial, Industrial, Farm) Use -

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in treatment area during treatment.

All outdoor applications must be limited to spot or crack and crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures,
2. Applications to lawns, turf and other vegetation,
3. Application to building foundation, up to a maximum height of three (3) feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.

Do not make outdoor applications during rain. Do not water the treated area to the point of run-off.

Aerial applications are prohibited.

Applications with power duster equipment are prohibited.

Only apply as a spot treatment to areas no greater than 3 feet by 3 feet per room.

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Do not use in aircraft.

When used in dairy barns or facilities: Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensil before application. Wash teats of animals before milking.

Do not use in occupied rooms. Allow people to enter treated areas only after application is completed.

Except when applying to sewers or drains as instructed on this label, do not apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur.

APPLICATIONS WITHIN FOOD/FEED AREAS:

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Food/Feed processing plants and warehouses, bakeries, beverage and bottling plants, restaurants, schools, kitchens, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, milking areas, meat, poultry and other livestock areas.

Applications of this product in the food/feed areas of food/feed handling establishments, other than a crack and crevice treatment, are not permitted.

LIMIT TO CRACK AND CREVICE TREATMENT ONLY.

Using a bulbous, or mechanical duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction



SureKill®

Dia-Py Insecticide Dust

For Occupational (Commercial, Industrial, Farm) Use

- Provides Quick Kill of Listed Insects with Pyrethrins
- Can be used in homes, institutions, food/feed plants and other areas as listed.

Kills Insects on Contact Such as:

Cockroaches, Carpenter Ants, Ants, Carpenter Bees, Smokey Brown Cockroach, Spiders, Dust Mites, Red Flour Beetles, Brown Banded Cockroach, Scorpions, Pharaoh Ants, Wasps, Asian Cockroach, Lice, Drywood Termites, Yellow Jackets, German Cockroach, Silverfish, Fleas, Confused Flour Beetle, American Cockroach, Firebrat, Brown Deer Tick, Hornet, Australian Cockroach, Bedbugs, Lone Star Tick, Cheese Mite, Oriental Cockroach, Earwigs, American Dog Tick, Weevils, Crickets, Pillbugs, Centipedes, Drugstore Beetle, Palmetto Bugs, Millipedes, Booklice, Grain Beetle, Caddelle Beetles, Mites, Yellow Mealworm, Lesser Grain Borer, Bees, Carpet Beetles, Grain Weevils, Dark Mealworm, Rice Weevil

For Use in:

(See Directions for Use and Use Restrictions for specific instructions on where product can be applied):

Animals Quarters, Ant Hills, Ant Mounds, Apartments, Attics, Automobiles, Bakeries, Barns, Basements, Bathrooms, Bedding, Bedrooms, Beverage Plants, Boats, Bookcases, Bottling Plants, Buses, Cabins, Cafeterias, Calving Barns, Campers, Campsites, Canneries, Cat Sleeping Quarters, Chests, Clothes, Storage, Closets, Closed Porches, Commercial Buildings, Condominiums, Cupboards, Dairy Barns, Day Care Centers, Dens, Dog Houses, Dormitories, Drive-Ins, Drugstores, Dumpsters, Factories, Farms, Food/Feed Processing Plants, Food/Feed Storage Areas, Funeral Parlors, Garages, Garbage Cans, Grain Elevators, Grain Storage, Greenhouses (non-plant use), Homes, Horse Stables, Hog Barns, Hospitals (non-occupied patient areas), Hotels, Houses, Industrial Plants, Indoor Eating Establishments, Institutions, Jails, Kennels, Kitchens, Locker Rooms, Man Holes, Mattresses, Mausoleums, Mess Halls, Milk Rooms, Milk Sheds, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office, Railroad Cars, Recreational Vehicles, Restaurants, Schools, Ships, Stadiums, Stables, Stored Product Areas, Swine Houses, Theaters, Tobacco Warehouses, Trailers, Trains, Trucks, Warehouses, Washrooms and Zoos.

Active Ingredient:

Pyrethrins 0.1%
Piperonyl Butoxide* 1.0%
Other Ingredients: 98.9%
Total: 100.0%

*(Butylcarbityl) (6-Propylpiperonyl) ether and related compounds.

EPA Reg. No.47000-65

EPA Est. No. 73079-MO-1



KEEP OUT OF REACH OF CHILDREN CAUTION

See inside panel for First Aid and additional Precautionary Statements.



Net Contents:
8 ounces

**SPECIMEN
LABEL**